




hex	binary
0	0000
1	0001
2	0010
3	0011
4	0100
5	0101
6	0110
7	0111
8	1000
9	1001
A	1010
B	1011
C	1100
D	1101
E	1110
F	1111



Untitled \* - SMART Notebook

Edit View Insert Format Draw Help

Groups

Group 1

Dec 1-11:03 AM

Dec 1-11:07 AM

hex	binary
0	0000
1	0001
2	0010
3	0011
4	0100
5	0101
6	0110
7	0111
8	1000
9	1001
10 A	1010
11 B	1011
12 C	1100
13 D	1101
14 E	1110
15 F	1111

A | 4 | F | D  
 1010 | 0100 | 1111 | 1101  
 8421 | 8421 | 8421 | 2  
 10<sub>dec</sub> =  
 A ——— 16  
 EC B<sub>16</sub> = — 2  
 1101 | 1001 | 0111

Extend Page

Auto-hide

11:12 AM  
12/1/2011

Ascii Table - ASCII character codes and html, octal, hex and decimal chart conversion - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Ascii Table - ASCII character codes and ...

www.asciitable.com

Most Visited

Google Engage for Agencies Join the program

ASCII stands for American Standard Code for Information Interchange. Computers can only understand numbers, so an ASCII code is the numerical representation of a character such as 'a' or '@' or an action of some sort. ASCII was developed a long time ago and now the non-printing characters are rarely used for their original purpose. Below is the ASCII character table and this includes descriptions of the first 32 non-printing characters. ASCII was actually designed for use with teletypes and so the descriptions are somewhat obscure. If someone says they want your CV however in ASCII format, all this means is they want 'plain' text with no formatting such as tabs, bold or underscoring - the raw format that any computer can understand. This is usually so they can easily import the file into their own applications without issues. Notepad.exe creates ASCII text, or in MS Word you can save a file as 'text only'

[Ads by Google](#)
[ASCII Converter](#)
[Binary to Hex](#)
[Custom ASCII](#)
[Hex Converter](#)

Dec	Hx	Oct	Char	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr
0	0	000	<b>NUL</b> (null)	32	20	040	&#32;	Space	64	40	100	&#64;	@	96	60	140	&#96;	`
1	1	001	<b>SOH</b> (start of heading)	33	21	041	&#33;	!	65	41	101	&#65;	A	97	61	141	&#97;	a
2	2	002	<b>STX</b> (start of text)	34	22	042	&#34;	"	66	42	102	&#66;	B	98	62	142	&#98;	b
3	3	003	<b>ETX</b> (end of text)	35	23	043	&#35;	#	67	43	103	&#67;	C	99	63	143	&#99;	c
4	4	004	<b>EOT</b> (end of transmission)	36	24	044	&#36;	\$	68	44	104	&#68;	D	100	64	144	&#100;	d
5	5	005	<b>ENQ</b> (enquiry)	37	25	045	&#37;	%	69	45	105	&#69;	E	101	65	145	&#101;	e
6	6	006	<b>ACK</b> (acknowledge)	38	26	046	&#38;	&	70	46	106	&#70;	F	102	66	146	&#102;	f
7	7	007	<b>BEL</b> (bell)	39	27	047	&#39;	'	71	47	107	&#71;	G	103	67	147	&#103;	g
8	8	010	<b>BS</b> (backspace)	40	28	050	&#40;	(	72	48	110	&#72;	H	104	68	150	&#104;	h
9	9	011	<b>TAB</b> (horizontal tab)	41	29	051	&#41;	)	73	49	111	&#73;	I	105	69	151	&#105;	i
10	A	012	<b>LF</b> (NL line feed, new line)	42	2A	052	&#42;	*	74	4A	112	&#74;	J	106	6A	152	&#106;	j
11	B	013	<b>VT</b> (vertical tab)	43	2B	053	&#43;	+	75	4B	113	&#75;	K	107	6B	153	&#107;	k
12	C	014	<b>FF</b> (NP form feed, new page)	44	2C	054	&#44;	,	76	4C	114	&#76;	L	108	6C	154	&#108;	l
13	D	015	<b>CR</b> (carriage return)	45	2D	055	&#45;	-	77	4D	115	&#77;	M	109	6D	155	&#109;	m
14	E	016	<b>SO</b> (shift out)	46	2E	056	&#46;	.	78	4E	116	&#78;	N	110	6E	156	&#110;	n
15	F	017	<b>SI</b> (shift in)	47	2F	057	&#47;	/	79	4F	117	&#79;	O	111	6F	157	&#111;	o
16	10	020	<b>DLE</b> (data link escape)	48	30	060	&#48;	0	80	50	120	&#80;	P	112	70	160	&#112;	p
17	11	021	<b>DC1</b> (device control 1)	49	31	061	&#49;	1	81	51	121	&#81;	Q	113	71	161	&#113;	q
18	12	022	<b>DC2</b> (device control 2)	50	32	062	&#50;	2	82	52	122	&#82;	R	114	72	162	&#114;	r
19	13	023	<b>DC3</b> (device control 3)	51	33	063	&#51;	3	83	53	123	&#83;	S	115	73	163	&#115;	s
20	14	024	<b>DC4</b> (device control 4)	52	34	064	&#52;	4	84	54	124	&#84;	T	116	74	164	&#116;	t
21	15	025	<b>NAK</b> (negative acknowledge)	53	35	065	&#53;	5	85	55	125	&#85;	U	117	75	165	&#117;	u
22	16	026	<b>SYN</b> (synchronous idle)	54	36	066	&#54;	6	86	56	126	&#86;	V	118	76	166	&#118;	v
23	17	027	<b>ETB</b> (end of trans. block)	55	37	067	&#55;	7	87	57	127	&#87;	W	119	77	167	&#119;	w
24	18	030	<b>CAN</b> (cancel)	56	38	070	&#56;	8	88	58	130	&#88;	X	120	78	170	&#120;	x
25	19	031	<b>EM</b> (end of medium)	57	39	071	&#57;	9	89	59	131	&#89;	Y	121	79	171	&#121;	y
26	1A	032	<b>SUB</b> (substitute)	58	3A	072	&#58;	:	90	5A	132	&#90;	Z	122	7A	172	&#122;	z
27	1B	033	<b>ESC</b> (escape)	59	3B	073	&#59;	;	91	5B	133	&#91;	[	123	7B	173	&#123;	{
28	1C	034	<b>FS</b> (file separator)	60	3C	074	&#60;	<	92	5C	134	&#92;	\	124	7C	174	&#124;	
29	1D	035	<b>GS</b> (group separator)	61	3D	075	&#61;	=	93	5D	135	&#93;	]	125	7D	175	&#125;	}
30	1E	036	<b>RS</b> (record separator)	62	3E	076	&#62;	>	94	5E	136	&#94;	^	126	7E	176	&#126;	~
31	1F	037	<b>US</b> (unit separator)	63	3F	077	&#63;	?	95	5F	137	&#95;	_	127	7F	177	&#127;	DEL

Source: www.Lookuptables.com

[Ads by Google](#)
[Codes](#)
[Character](#)
[Access ASCII](#)
[ASCII Binaire](#)

### Extended ASCII Codes

128	Ç	144	É	160	á	176	ð	192	Ł	208	ł	224	œ	240	═
129	à	145	è	161	â	177	é	193	ł	209	ł	225	ß	241	±
130	á	146	æ	162	ó	178	ñ	194	ł	210	ł	226	Γ	242	≥

Compare Ereaders Here

[Link2Me Hosting](#)

[Unit Conversion](#)

[Link2Me Link Exchange](#)

[Dialing Codes](#)

11:15 AM 12/1/2011



Dec    Hex  
97    61    a

0110 0001

01100010

lower

01111010

16 8 2

1

26

A

b

Z

MA16

010  
upper  
011  
lower

Dec  
122

30 0  
0011 0006  
31 1  
0011 0001

Ascii Table - ASCII character codes and html, octal, hex and decimal chart conversion - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Ascii Table - ASCII character codes and ...

www.asciitable.com

Most Visited

ASCII stands for American Standard Code for Information Interchange. Computers can only understand numbers, so an ASCII code is the numerical representation of a character such as 'a' or '@' or an action of some sort. ASCII was developed a long time ago and now the non-printing characters are rarely used for their original purpose. Below is the ASCII character table and this includes descriptions of the first 32 non-printing characters. ASCII was actually designed for use with teletypes and so the descriptions are somewhat obscure. If someone says they want your CV however in ASCII format, all this means is they want 'plain' text with no formatting such as tabs, bold or underscoring - the raw format that any computer can understand. This is usually so they can easily import the file into their own applications without issues. Notepad.exe creates ASCII text, or in MS Word you can save a file as 'text only'

[Ads by Google](#)   [ASCII Converter](#)   [Binary to Hex](#)   [Custom ASCII](#)   [Hex Converter](#)

Dec	Hx	Oct	Char	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr
0	0	000	NUL (null)	32	20	040		Space	64	40	100		@	96	60	140		`
1	1	001	SOH (start of heading)	33	21	041		!	65	41	101		A	97	61	141		a
2	2	002	STX (start of text)	34	22	042		"	66	42	102		B	98	62	142		b
3	3	003	ETX (end of text)	35	23	043		#	67	43	103		C	99	63	143		c
4	4	004	EOT (end of transmission)	36	24	044		\$	68	44	104		D	100	64	144		d
5	5	005	ENQ (enquiry)	37	25	045		%	69	45	105		E	101	65	145		e
6	6	006	ACK (acknowledge)	38	26	046		&	70	46	106		F	102	66	146		f
7	7	007	BEL (bell)	39	27	047		'	71	47	107		G	103	67	147		g
8	8	010	BS (backspace)	40	28	050		(	72	48	110		H	104	68	150		h
9	9	011	TAB (horizontal tab)	41	29	051		)	73	49	111		I	105	69	151		i
10	A	012	LF (NL line feed, new line)	42	2A	052		*	74	4A	112		J	106	6A	152		j
11	B	013	VT (vertical tab)	43	2B	053		+	75	4B	113		K	107	6B	153		k
12	C	014	FF (NP form feed, new page)	44	2C	054		,	76	4C	114		L	108	6C	154		l
13	D	015	CR (carriage return)	45	2D	055		-	77	4D	115		M	109	6D	155		m
14	E	016	SO (shift out)	46	2E	056		.	78	4E	116		N	110	6E	156		n
15	F	017	SI (shift in)	47	2F	057		/	79	4F	117		O	111	6F	157		o
16	10	020	DLE (data link escape)	48	30	060		0	80	50	120		P	112	70	160		p
17	11	021	DC1 (device control 1)	49	31	061		1	81	51	121		Q	113	71	161		q
18	12	022	DC2 (device control 2)	50	32	062		2	82	52	122		R	114	72	162		r
19	13	023	DC3 (device control 3)	51	33	063		3	83	53	123		S	115	73	163		s
20	14	024	DC4 (device control 4)	52	34	064		4	84	54	124		T	116	74	164		t
21	15	025	NAK (negative acknowledge)	53	35	065		5	85	55	125		U	117	75	165		u
22	16	026	SYN (synchronous idle)	54	36	066		6	86	56	126		V	118	76	166		v
23	17	027	ETB (end of trans. block)	55	37	067		7	87	57	127		W	119	77	167		w
24	18	030	CAN (cancel)	56	38	070		8	88	58	130		X	120	78	170		x
25	19	031	EM (end of medium)	57	39	071		9	89	59	131		Y	121	79	171		y
26	1A	032	SUB (substitute)	58	3A	072		:	90	5A	132		Z	122	7A	172		z
27	1B	033	ESC (escape)	59	3B	073		;	91	5B	133		[	123	7B	173		{
28	1C	034	FS (file separator)	60	3C	074		<	92	5C	134		\	124	7C	174		
29	1D	035	GS (group separator)	61	3D	075		=	93	5D	135		]	125	7D	175		}
30	1E	036	RS (record separator)	62	3E	076		>	94	5E	136		^	126	7E	176		~
31	1F	037	US (unit separator)	63	3F	077		?	95	5F	137		_	127	7F	177		DEL

Source: www.LookupTables.com

[Ads by Google](#)   [Codes](#)   [Character](#)   [Access ASCII](#)   [ASCII Binaire](#)

### Extended ASCII Codes

128	Ç	144	É	160	á	176	ð	192	Ł	208	ł	224	α	240	≡
129	ù	145	œ	161	í	177	é	193	ł	209	ł	225	β	241	±
130	é	146	Æ	162	ó	178	ë	194	ł	210	ł	226	Γ	242	≥

[Link2Me Hosting](#)  
[Unit Conversion](#)  
[Link2Me Link Exchange](#)  
[Dialing Codes](#)

Matt Medeiros came in to speak about careers there are a few slides on the 12 notes.

11:33 AM  
12/1/2011